

Comdek®



Doc. Sensor™

ECG/ EKG Electrods Cardio Products



Product Information

- Cost-effective, general monitoring ECG electrodes
- Ideal size for convenient lead placement
- Available in bulk and packs of three or five electrodes
- Latex free, DEHP free, mercury free



**Adult Model: DS-100
Non-radiolucent**

DS-100 / DSP-300 Series

- Adult tear drop shape 1 1/2" diameter
- Pediatric tear drop shape 1 3/16" diameter



**Pediatric Model: DSP-300
Non-radiolucent**



DS-100 Adult Electrode

Order Description	Pack Quantity	Box Quantity	Remark
DS-100-5-3	50	5,000	3 Electrode per cut
DS-100-10-3	100	10,000	3 Electrode per cut
DS-100-5-5	50	5,000	5 Electrode per cut
DS-100-10-5	100	10,000	5 Electrode per cut

DSP-300 Pediatric Electrode

Order Description	Pack Quantity	Box Quantity	Remark
DS-300-5-3	50	5,000	3 Electrode per cut
DS-300-10-3	100	10,000	3 Electrode per cut
DS-300-5-5	50	5,000	5 Electrode per cut
DS-300-10-5	100	10,000	5 Electrode per cut


Comdek Cardiology

Product Information

- Conductive adhesive hydrogel provides firm adhesion
- Ideal sizes and substrates to address most neonatal patients
- Industry-standard of Color-coded lead wires with the 0.060" (1.5mm)
- Latex free, DEHP free, mercury free

DSI-100 Pre-Wired Electrode

- Foam substrate repels fluids
- Tear drop shape 7/8" (22x22mm) diameter
- 24" (610mm, +/-15mm) of lead wire length



DSI-100 Pre-Wired Electrode Series


Order Description	Pack Quantity	Box Quantity	Remark
DSI-100-10-A	3	300	AAMI Color code
DSI-100-20-A	3	600	AAMI Color code
DSI-100-10-I	3	300	IEC Color code
DSI-100-20-I	3	600	IEC Color code

Product Information


- Conductive adhesive hydrogel for excellent adhesion
- Ideal size substrates to accommodate most diagnostic patients
- Ag/AgCl sensing system is defibrillation allow
- Latex free, DEHP free, mercury free

DST-300 / DST-500 Resting Tap Electrode

- The industry standard for resting ECG tab electrodes.
- Most popular level of adhesion suitable for diagnostic applications
- DST-300 Electrode dimension 20x34mm
- DST-500 Electrode dimension 23x34mm



Diagnostic Model: DST-500
Non-radiolucent



DST-300 / DST-500 Resting Tap Electrode Series

Order Description	Pack Quantity	Box Quantity	Remark
DST-300-10	100	10,000	20x34mm
DST-300-20	100	20,000	20x34mm
DST-500-10	100	10,000	23x34mm
DST-500-20	100	20,000	23x34mm